

www.jecc-floor.com  
www.huaji-floor.com

www.jecc-floor.com  
www.huaji-floor.com



江苏华集新材料科技有限公司

JIANSSU HUAJI NEW MATERIAL TECHNOLOGY CO., LTD

地址 (ADD) : 常州市武进经济开发区芙蓉路 16 号

16 Lingxiang Road, Economic Development Zone, Wujin, Changzhou, China

电话 (TEL) : 86-519-88865800, 88866800, 88852800, 88869800

手机 (MOB) : 15251933132 张锋理

传真 (FAX) : 86-519-88875800

邮箱 (E-mail) : jshuajifloor@163.com

网址 (Http) : www.jecc-floor.com www.huaji-floor.com

江苏华集新材料科技有限公司


JIANSSU HUAJI NEW MATERIAL TECHNOLOGY CO., LTD



# 产品目录

## Index

企业简介 Company Profile	02
“华集”拥有国内最先进全自动流水线及品质优势 HUAJI Has The Most Advanced Auto-Lines And Quality Control	04
“华集”地板系统让建筑变得可能性 HUAJI Raised Floor System Makes The Building Possible	06
“华集”地板完美的绿色环保理念 HUAJI Floor is Environmental Friendly	08
“华集”地板产品行走舒适性 HUAJI Product Walking Comfort	10
“华集”地板为你量身定做的优质服务 HUAJI Provides Customized Services	13
“华集”牌 CS600-A 硫酸钙架空地板 HUAJI CS600-A Calcium Sulphate Raised Floor	14
“华集”牌 CS600-B 硫酸钙架空地板 HUAJI CS600-B Calcium Sulphate Raised Floor	16
“华集”牌 CS600-C 硫酸钙架空地板 HUAJI CS600-C Calcium Sulphate Raised Floor	18
“华集”牌 OA600 全钢网络地板系列 HUAJI OA600 Steel Concrete Raised Floor	20
“华集”牌 OA500 全钢网络地板系列 HUAJI OA500 Steel Concrete Raised Floor	22
“华集”牌 OAR500 全钢网络地板系列 HUAJI OAR500 Steel Concrete Raised Floor	24
“华集”牌 OAK 线槽全钢网络地板（扣槽式） HUAJI OAK Steel Concrete Trunking Raised Floor (Buckle Type)	26
“华集”牌 OAP 线槽全钢网络地板（平铺式） HUAJI OAP Steel Concrete Trunking Raised Floor (Flat Type)	28
“华集”牌 CSC500 硫酸钙复合架空地板 HUAJI CSC500 Calcium Sulphate Composite Raised Floor	30
“华集”牌 HDG 全钢防静电架空地板 HUAJI HDG Steel Anti-Static Floor	32
“华集”牌 HDW 硫酸钙防静电架空地板 HUAJI HDW Calcium Sulphate Anti-Static Floor	34
“华集”牌 HDF 欧式木基防静电架空地板 HUAJI HDF Euro Style Wood Anti-Static Floor	36
“华集”牌 HDL 铝合金防静电架空地板 HUAJI HDL Aluminum Anti-Static Floor	38





## 企业简介

Company Profile



[www.jecc-floor.com](http://www.jecc-floor.com)  
[www.huaji-floor.com](http://www.huaji-floor.com)

PAGE/02



江苏华集新材料科技有限公司生产的“华集”牌地板是经营 20 多年来，国内一致公认的、历史悠久的一线品牌产品，是一家集研发、制造、安装、服务为一体的专业生产系列架空地板的企业，现已发展成为国内同行业中具有超大规模、知名度最高、品牌影响力强的企业。公司坐落在环境非常优美的旅游风景区——常州西太湖旁，真正打造了一个绿色、环保、现代化管理的工厂。

我公司引进国际技术投资了日本三菱配置的全自动机械手流水线设备 3 条，公司年产能高达 500 万平方米系列架空地板产品。“华集”品牌生产的系列架空地板主要产品有：硫酸钙架空地板系列产品、全钢 OA 网络地板系列产品、防静电地板系列产品、无机质 GRC 水泥地板产品等。

“华集”品牌系列架空地板产品广泛应用于：5A 级写字楼、甲级写字楼、外企总部大楼、移动大楼、联通大楼、电信大楼、证券大楼、银行大楼、保险公司大楼、期货大厦、电力大楼、广电大楼、烟草大楼、数据中心等办公区域使用的架空地板和机房区域使用的防静电地板。

“华集”公司致力于绿色、环保的理念，迎合客户的特殊要求，给客户提供更高质量和更广泛的产品选择，成为绿色环保架空地板产品的领导者。

JIANGSU HUAJI NEW MATERIAL TECHNOLOGY CO., LTD is developing more than 20 years and well-known both in domestic and international market. HUAJI is a large scale raised floor system manufactory with high reputation. HUAJI is located in Wujin Economic Development Zone which is the place with excellent environment. HUAJI is not only produce "green" product but also "green" in each process. HUAJI is really a most modern and environmental friendly manufactory.

HUAJI has 3 the most advanced Mitsubishi auto-lines, the production capacity could reach 5 million  $m^2$  per year. The product range: calcium sulphate raised floor, steel concrete raised floor, anti-static raised floor, GRC and so on.

HUAJI raised floor system suit for Grade A office building, Headquarters building, Communication building, Bank building, Stock building, Insurance building and Data Centre.

HUAJI provide good quality and wide range of raised floor and try to meet requirements of individual projects. At the same time HUAJI is always concerned with environmental protection and make sure the whole process is "Green". HUAJI is a truly leader in raised floor industry.

# “华集”拥有国内最先进 全自动流水线及品质优势

## HUAJI Has The Most Advanced Auto-Lines And Quality Control


- “华集”拥有国内技术最先进、生产量最大的全自动流水线设备3条，确保地板产品质量，产能大。  
HUAJI has 3 the most advanced and large output auto-lines make sure both good in quality and large in productivity
- “华集”全钢地板采用二次除油工艺，确保地板焊接牢固和没有生锈隐患。  
HUAJI applies two times oil remove process make sure no rust risk and good for welding process
- “华集”全钢地板采用全自动逆变焊焊接设备，确保地板没有虚焊、脱焊，确保地板强度。  
HUAJI employs automatic inverter welding equipment make sure welding fastness
- “华集”全钢地板采用蒸气养护工艺，缩短地板养护周期，增强地板强度。  
HUAJI uses steam curing process in order to short delivery cycle and increase panel strength
- “华集”硫酸钙地板采用韩国进口的先进的机械手进行全自动切割，确保地板精度。  
HUAJI calcium sulphate panel employs advanced cutting machine ensure panel squareness.
- “华集”硫酸钙地板采用恒温、恒湿、恒风流量烘箱烘干工艺，确保硫酸钙板基含水率稳定、均匀，确保基板与镀锌板粘贴后不脱壳。  
HUAJI calcium sulphate panel heating under constant temperature, constant humidity and constant volume condition, ensure the panel contain the same water ratio and tightness when sticking with galvanized steel sheet
- “华集”硫酸钙地板采用六面体镀锌板全自动机械手流水线设备四次铆合，确保地板尺寸精准。  
HUAJI calcium sulphate galvanized steel sheet fully encapsulated pane makes sure squareness of panel after four times riveting
- “华集”硫酸钙地板采用地板四周“E”字形 ABS 环保阻燃注塑边条，确保边条永不脱落。  
HUAJI calcium sulphate panel injects ABS incombustible molding as edge trim ensure never break off
- 使用高品质“华集”牌地板是你最英明的选择  
HUAJI is your excellent choice





# “华集”地板系统 让建筑变得可能性


## HUAJI Raised Floor System Makes The Building Possible



- “华集”地板系统提供 5A 级写字楼建筑中新型的解决综合网络布线方案
- 国内大型的 5A 级写字楼建筑项目都在使用“华集”牌地板
- 5A 级写字楼建筑的室内装修、科技领域、建筑材料、网络综合布线等，无论从前期设计，还是最终项目完成，为现代化办公室的室内装修提供解决方案。
- “华集”牌地板下面可铺设线缆进行布线，方便维护，可满足客户需求，为现代化办公室解决网络综合布线方案。
- “华集”牌地板先进的全自动化、超大规模的生产能力，确保产品质量，同时满足不同项目、不同客户的需求。
- 绿色、环保理念是贯彻“华集”牌地板的基石。
- 通过与合作客户的合作，“华集”牌地板将理念变成了现实！







HUAJI provides the solution for Grade A office building interior decoration

HUAJI floor has been used in most buildings in China

HUAJI provides the solution from design planning through to final project complete

HUAJI provides solution for easy maintenance cables

HUAJI employs advanced and large output auto-lines ensure the quality and also meets the variety requirements

HUAJI always puts environmental friendly at the first place

HUAJI turns the ideas into reality



## “华集”地板完美的绿色环保理念

### HUAJI Floor Is Environmental Friendly

- “华集”地板为绿色、环保材料。 HUAJI floor only uses natural material.
- “华集”地板产品可循环回收率可达 99%。 HUAJI product recycle rate reaches 99%
- “华集”地板无放射性。 No radioactivity
- “华集”地板无甲醛释放量，无有害物质释放量。 No emission
- “华集”地板使用的高强  $\alpha$ -石膏粉、纤维纸等原材料都是环保的。 Use of high-strength  $\alpha$ -gypsum powder, fiber paper and other raw materials are environmentally friendly
- “华集”地板采用 99% 的回收材料制成高质量的产品。 HUAJI floor is made from 99% recycled material
- “华集”地板确保每个生产环节过程都是环保的，同时创造一个绿色、环保、健康的工作环境，确保员工的职业健康安全，始终贯彻环境保护的理念。 HUAJI ensures environmental protection in each process and keep employees health and safe
- “华集”地板致力于迎合客户的特殊要求，提高“华集”牌地板产品的环保兼容性。 HUAJI develops system to meet customers' requirements and improve the product's environment compatibility
- “华集”地板的目标是持续发展、共创绿色环境。 HUAJI aims to sustainable development and creat wonderful life



成品地板



架空地板



办公大楼



地板布线



石膏废粉



钢板回收



石膏墙板



钢卷



废纸



储罐



吸尘设备



石膏原粉



# “华集”地板产品行走舒适性

## HUAJI Product Walking Comfort

- “华集”地板达到 A 级防火标准，给你带来绝对安全的保障  
Class A fireproof
- “华集”地板完美的隔音效果，没有噪音具有良好的声学效果  
First class soundproof
- “华集”地板良好的隔热性能，适合于下送风空调系统  
excellent heatproof
- “华集”地板行走时具有极好的舒适度  
extremely comfort when walking
- “华集”地板使用寿命长，耐久性好  
good performance with long life
- “华集”地板是你绝佳的选择  
excellent choice for data center







www.jecc-floor.com  
www.huaji-floor.com


# “华集”地板 为你量身定做的优质服务

## HUAJI Provides Customized Services

- “华集”地板是架空地板领域的领导者  
HUAJI floor is a leader in raised floor system area
- “华集”为客户提供快速响应、快速安装的服务  
HUAJI provide quick response and fast installation
- “华集”地板各种配件模块化组装  
HUAJI floor provides accessories modular assembly
- “华集”地板为客户深化设计和量身定做，不断创新研发产品，满足客户各种需求。  
HUAJI innovates and develops new product to meet new variety requirements
- “华集”提供一条龙服务，包括从生产、运输、安装、管理到最终的维护  
HUAJI provides serves from manufactory, transportation, installation, management to maintenance
- 得益于“华集”多年积累的经验，为你提供完善的售前服务、售中服务、售后服务。  
Benefit from years of experience, we provide you the solution from design planning through to final project complete

# “华集”牌 CS600-A 硫酸钙架空地板

## HUAJI CS600-A Calcium Sulphate Raised Floor



产品名称：CS600-A 硫酸钙架空地板

产品结构：地板、支架四角支撑式结构

产品描述：芯材采用绿色环保的高强石膏粉和回收纸等原材料特殊配方制作而成的高强度硫酸钙板基，表面采用镀锌板六面全包，全自动设备制作而成的硫酸钙地板产品。

无横梁地板及支架安装  
installation: panel, pedestal

Product name: CS600-A Calcium Sulphate Raised Floor



Product structure: the panel supported by pedestals

Description: fully steel encapsulated with the core material which is made from gypsum and recycled paper





- 绿色、环保 Environmental protection
- 达到 A 级防火标准，给你带来绝对安全的保障 A class fireproof
- 隔音效果达到国家一级标准 first class soundproof
- 具有良好的隔热性能 excellent heatproof
- 行走时具有极好的舒适度 extremely comfort when walking
- “华集” CS600-A 硫酸钙架空地板是你最佳的选择 HUAJI CS600-A is your excellent choice




支架：可调支架高度为 80-500mm  
pedestal range 80-500mm

用途 Suit for	品名 Product Name	型号 Type 国标 International Standard	规格 (mm) Size	集中荷载 Conc.load (挠度 deflection=2mm)			均布荷载 Uniform Load (N/m <sup>2</sup> )	极限荷载 Ultimate Load (N)
				lb	N	kg		
办公区域 office area	CS600-A 硫酸钙架空地板	HDW.600.26.Q.D	600 × 600 × 26	≥ 680	≥ 2950	≥ 300	≥ 12500	≥ 8850
		HDW.600.26.Q.D	600 × 600 × 26	≥ 800	≥ 3550	≥ 360	≥ 17500	≥ 10700
		HDW.600.30.Q.D	600 × 600 × 30	≥ 680	≥ 2950	≥ 300	≥ 12500	≥ 8850
		HDW.600.30.Q.D	600 × 600 × 30	≥ 800	≥ 3550	≥ 360	≥ 17500	≥ 10700
		HDW.600.30.B.D	600 × 600 × 30	≥ 1000	≥ 4450	≥ 450	≥ 23000	≥ 13350
		HDW.600.30.Z.D	600 × 600 × 30	≥ 1250	≥ 5560	≥ 560	≥ 33000	≥ 16680

# “华集”牌 CS600-B 硫酸钙架空地板

## HUAJI CS600-B Calcium Sulphate Raised Floor



产品名称：CS600-B 硫酸钙架空地板

产品结构：地板、支架、横梁四边支撑式结构

产品描述：芯材采用绿色环保的高强石膏粉和回收纸等原材料特殊配方制作而成的高强度硫酸钙板基，表面采用镀锌板六面全包，全自动设备制作而成的硫酸钙地板产品。

Product name: CS600-B Calcium Sulphate Raised Floor


Product structure: the panel supported by pedestals and stringers

Description: fully steel encapsulated with the core material which is made from gypsum and recycled paper

用途 Suit for	品名 Product Name	型号 Type 国标 International Standard	规格 (mm) Size	集中荷载 Conc.load (挠度 deflection=2mm)			均布荷载 Uniform Load (N/m <sup>2</sup> )	极限荷载 Ultimate Load (N)
				lb	N	kg		
办公区域 office area	CS600-B 硫酸钙架空地板	HDW.600.26.Q.D	600×600×26	≥ 680	≥ 2950	≥ 300	≥ 12500	≥ 8850
		HDW.600.26.Q.D	600×600×26	≥ 800	≥ 3550	≥ 360	≥ 17500	≥ 10700
		HDW.600.30.Q.D	600×600×30	≥ 680	≥ 2950	≥ 300	≥ 12500	≥ 8850
		HDW.600.30.Q.D	600×600×30	≥ 800	≥ 3550	≥ 360	≥ 17500	≥ 10700
		HDW.600.30.B.D	600×600×30	≥ 1000	≥ 4450	≥ 450	≥ 23000	≥ 13350
		HDW.600.30.Z.D	600×600×30	≥ 1250	≥ 5560	≥ 560	≥ 33000	≥ 16680



- |                              |   |
|------------------------------|---|
| ●绿色、环保                       | Environmental protection                          |
| ●达到 A 级防火，给你带来绝对安全的保障        | A class fireproof                                 |
| ●隔音效果达到国家一级标准                | first class soundproof                            |
| ●具有良好的隔热性能，适合于下送风空调系统的架空地板   | excellent heatproof, apply to underfloor airflow. |
| ●行走时具有极好的舒适度                 | extremely comfort when walking                    |
| ●“华集” CS600-B 硫酸钙架空地板是你最佳的选择 | HUAJI CS600-B is your excellent choice            |




有横梁地板及支架安装

installation: panel, pedestal and stringer



支架：可调支架高度为 80-500mm  
pedestal range 80-500mm



# “华集”牌 CS600-C 硫酸钙架空地板

## HUAJI CS600-C Calcium Sulphate Raised Floor



产品名称：CS600-C 硫酸钙架空地板

产品结构：地板、支架四角支撑式结构

产品描述：芯材采用绿色环保的高强石膏粉和回收纸等原材料制作而成的高强度硫酸钙板基，硫酸钙板基四周采用环保阻燃 ABS 一体注塑成型边条，角落为 1/4 圆角，表面采用粘贴 PVC 面层或橡胶面层制作而成的硫酸钙地板产品。

Product name: CS600-C Calcium Sulphate Raised Floor

Product structure: the panel supported by pedestals

Description: the core material is made from gypsum and recycled paper, the core material is made from gypsum and recycled paper, molding injection by ABS plastic as edge trim, the round corner is one quarter circle and at top cover by PVC finishing or rubber finishing.

无横梁地板及支架安装  
installation: panel, pedestal



www.jecc-floor.com  
www.huaji-floor.com

PAGE/18


- 绿色、环保
  - 达到 A 级防火，给你带来绝对安全的保障
  - 隔音效果达到国家一级标准
  - 具有良好的隔热性能
  - 行走时具有极好的舒适度
  - “华集” CS600-C 硫酸钙架空地板是你最佳的选择
- Environmental friendly
  - A class fireproof
  - first class soundproof
  - excellent heatproof
  - extremely comfort when walking
  - HUAIJI CS600-C is your excellent choice



E 字形 ABS 一体注塑成型，专利技术永不脱落  
E type ABS plastic modeling injection



切割剖面  
profile




支架：可调支架高度为 80-500mm  
pedestal range 80-500mm

用途 Suit for	品名 Product Name	型号 Type 国标 International Standard	规格 (mm) Size	集中荷载 Conc.load (挠度 deflection=2mm)			均布荷载 Uniform Load (N/m <sup>2</sup> )	极限荷载 Ultimate Load (N)
				lb	N	kg		
办公区域 office area	CS600-C 硫酸钙架空地板	HDW.600.30.Q.D	600×600×30	≥ 680	≥ 2950	≥ 300	≥ 12500	≥ 8850
		HDW.600.30.Q.D	600×600×30	≥ 800	≥ 3550	≥ 360	≥ 17500	≥ 10700
		HDW.600.30.B.D	600×600×30	≥ 1000	≥ 4450	≥ 450	≥ 23000	≥ 13350
		HDW.600.30.Z.D	600×600×30	≥ 1250	≥ 5560	≥ 560	≥ 33000	≥ 16680

# “华集”牌 OA600 全钢网络地板系列

## HUAJI OA600 Steel Concrete Raised Floor



产品名称：OA600 全钢网络地板

产品结构：地板、支架四角支撑式结构

产品描述：采用优质冷轧钢板经全自动流水线设备冲压成型、拉伸成型、铆合、第一次除油、自动焊接、第二次除油、自动喷塑、填充发泡水泥、养护制作而成的高强度地板产品。

Product name: OA600 Steel Concrete Raised Floor

Product structure: the panel supported by pedestals

Description: the panel which is made from high quality steel sheets after a series of process and fill into concrete

用途 Suit for	品名 Product Name	型号 Type 国标 International Standard	规格 (mm) Size	集中荷载 Conc.load (挠度 deflection=2mm)			均布荷载 Uniform Load (N/m <sup>2</sup> )	极限荷载 Ultimate Load (N)
				lb	N	kg		
办公区域 office area	OA600 全钢网络地板	HDG.600.33.Q.D	600×600×33	≥ 680	≥ 2950	≥ 300	≥ 12500	≥ 8850
		HDG.600.33.Q.D	600×600×33	≥ 800	≥ 3550	≥ 360	≥ 17500	≥ 10700
		HDG.600.33.B.D	600×600×33	≥ 1000	≥ 4450	≥ 450	≥ 23000	≥ 13350
		HDG.600.33.Z.D	600×600×33	≥ 1250	≥ 5560	≥ 560	≥ 33000	≥ 16680
		配套上盖板及下线槽		600×165×H				



- 这是性价比最高的架空地板
- 达到 A 级防火，给你带来绝对安全的保障
- 表面铺设地毯后行走时具有极好的舒适度
- 全钢网络地板系列产品在国际上 60 年代使用至今仍然是客户的首选，国内使用至今已长达 25 年之久
- “华集” OA600 全钢网络地板是办公区域的首选

The highest cost performance raised floor

A class fireproof

Wonderful comfort combine with carpet

Steel concrete raised floor has been used more than 60 years in the world and over 25 years in China.

HUAJI OA600 steel concrete raised floor is your best choice



OA600 全钢网络地板 + 盖板线槽结构  
standard panel with trunking



支架：可调支架高度为 80-500mm  
pedestal range 80-500mm



OA600 全钢网络地板  
标准地板正面  
standard panel (top)



OA600 全钢网络地板  
标准地板反面  
standard panel (bottom)



OA600 全钢网络地板  
出线口地板正面  
cabling panel (top)



OA600 全钢网络地板  
出线口地板反面  
cabling panel (bottom)



OA600 全钢模压地插座  
开孔地板正面  
socket panel (top)




OA600 全钢模压地插座  
开孔地板反面  
socket panel (bottom)



无横梁地板及支架安装  
installation: panel, pedestal

# “华集”牌 OA500 全钢网络地板系列

## HUAJI OA500 Steel Concrete Raised Floor



产品名称：OA500 全钢网络地板

产品结构：地板、支架四角支撑式结构

产品描述：采用优质冷轧钢板经全自动流水线设备冲压成型、拉伸成型、铆合、第一次除油、自动焊接、第二次除油、自动喷塑、填充发泡水泥、养护制作而成的高强度地板产品。

Product name: OA500 Steel Concrete Raised Floor

Product structure: the panel supported by pedestals

Description: the panel which is made from high quality steel sheets after a series of process and fill into concrete

用途 Suit for	品名 Product Name	型号 Type 国标 International Standard	规格 (mm) Size	集中荷载 Conc.load (挠度 deflection=2mm)			均布荷载 Uniform Load (N/m <sup>2</sup> )	极限荷载 Ultimate Load (N)
				lb	N	kg		
办公区域 office area	OA500 全钢网络 地板	HDG.500.28.Q.D	500 × 500 × 28	≥ 680	≥ 2950	≥ 300	≥ 12500	≥ 8850
		HDG.500.28.Q.D	500 × 500 × 28	≥ 800	≥ 3550	≥ 360	≥ 17500	≥ 10700
		HDG.500.28.B.D	500 × 500 × 28	≥ 1000	≥ 4450	≥ 450	≥ 23000	≥ 13350
		HDG.500.28.Z.D	500 × 500 × 28	≥ 1250	≥ 5560	≥ 560	≥ 33000	≥ 16680
		配套上盖板及下线槽		600 × 165 × H				
			600 × 150 × H					





- 这是性价比最高的架空地板
- 达到 A 级防火，给你带来绝对安全的保障
- 表面铺设地毯后行走时具有极好的舒适度
- 全钢网络地板系列产品在国际上 60 年代使用至今仍然是客户的首选，国内使用至今已长达 25 年之久
- “华集” OA500 全钢网络地板是办公区域的首选

The highest cost performance raised floor

A class fireproof

Wonderful comfort combine with carpet

Steel concrete raised floor has been used more than 60 years in the world and over 25 years in China.

HUAJI OA500 steel concrete raised floor is your best choice



无横梁地板及支架安装  
installation: panel, pedestal



支架：可调支架高度为 80-500mm  
pedestal range 80-500mm



OA500 全钢网络地板 + 盖板线槽结构  
standard panel with trunking



OA500 全钢网络地板  
标准地板正  
standard panel (top)



OA500 全钢网络地板  
标准地板反面  
standard panel (bottom)



OA500 全钢网络地板  
出线口地板正面  
cabling panel (top)



OA500 全钢网络地板  
出线口地板反面  
cabling panel (bottom)



OA500 全钢模压地插座  
开孔地板正面  
socket panel (top)



OA500 全钢模压地插座  
开孔地板反面  
socket panel (bottom)

# “华集”牌 OAR500 全钢网络地板系列

## HUAJI OAR500 Steel Concrete Raised Floor

产品名称：OAR500 全钢网络地板

产品结构：地板、支架四角支撑式结构

产品描述：采用优质冷轧钢板经全自动流水线设备冲压成型、拉伸成型、铆合、第一次除油、自动焊接、第二次除油、自动喷塑、填充发泡水泥、养护制作而成的高强度地板产品。

Product name: OAR500 Steel Concrete Raised Floor

Product structure: the panel supported by pedestals

Description: the panel which is made from high quality steel sheets after a series of process and fill into concrete




OAR500 全钢网络地板  
标准地板正面  
standard panel (top)



OAR500 全钢网络地板  
出线口地板正面  
cabling panel (top)



OAR500 全钢模压地插座  
开孔地板正面  
socket panel (top)



OAR500 全钢网络地板  
标准地板反面  
standard panel (bottom)



OAR500 全钢网络地板  
出线口地板反面  
cabling panel (bottom)



OAR500 全钢模压地插座  
开孔地板反面  
socket panel (bottom)

用途 Suit for	品名 Product Name	型号 Type 国标 International Standard	规格 (mm) Size	集中荷载 Conc.load (挠度 deflection=2mm)			均布荷载 Uniform Load (N/m <sup>2</sup> )	极限荷载 Ultimate Load (N)
				lb	N	kg		
办公区域 office area	OAR500 全钢网络地板	HDG.500.25.Q.D	500 × 500 × 25	≥ 680	≥ 2950	≥ 300	≥ 12500	≥ 8850
		HDG.500.25.Q.D	500 × 500 × 25	≥ 800	≥ 3550	≥ 360	≥ 17500	≥ 10700
		HDG.500.25.B.D	500 × 500 × 25	≥ 1000	≥ 4450	≥ 450	≥ 23000	≥ 13350
		HDG.500.25.Z.D	500 × 500 × 25	≥ 1250	≥ 5560	≥ 560	≥ 33000	≥ 16680



www.jecc-floor.com  
www.huaji-floor.com



无横梁地板及支架安装  
installation: panel, pedestal



支架: 可调支架高度为 80-500mm  
pedestal range 80-500mm

- 这是性价比最高的架空地板
- 达到 A 级防火, 给你带来绝对安全的保障
- 表面铺设地毯后行走时具有极好的舒适度
- 全钢网络地板系列产品在国际上 60 年代使用至今仍然是客户的首选, 国内使用至今已长达 25 年之久
- “华集” OAR500 全钢网络地板是办公区域的首选

The highest cost performance raised floor

A class fireproof


Wonderful comfort combine with carpet

Steel concrete raised floor has been used more than 60 years in the world and over 25 years in China.

HUAJI OAR500 steel concrete raised floor is your best choice

# “华集”牌 OAK 线槽全钢网络地板（扣槽式）

## HUAJI OAK Steel Concrete Trunking Raised Floor ( Bucket Type )



产品名称：OAK 线槽全钢网络地板（扣槽式）

产品结构：地板、支架四角支撑式结构，

可调支架高度为 35-150mm。

产品描述：采用优质冷轧钢板经全自动流水线设备冲压成型、拉伸成型、铆合、第一次除油、自动焊接、第二次除油、自动喷塑、填充发泡水泥、养护制作而成的高强度地板产品。


Product name: OAK Steel Concrete Trunking Raised Floor(Buckle Type)

Product structure: the panel supported by pedestals, pedestal range 35-150mm

Description: the panel which is made from high quality steel sheets after a series of process and fill it in concrete

用途 Suit for	品名 Product Name	型号 Type 国标 International Standard	规格 (mm) Size	集中荷载 Conc.load (挠度 deflection=2mm)			均布荷载 Uniform Load (N/m <sup>2</sup> )	极限荷载 Ultimate Load (N)
				lb	N	kg		
办公 区域 office area	OAK 线槽全钢 网络地板 (扣槽式)	HDG.500.25.Q.D	500×500×25	≥ 680	≥ 2950	≥ 300	≥ 12500	≥ 8850
		HDG.500.25.Q.D	500×500×25	≥ 800	≥ 3550	≥ 360	≥ 17500	≥ 10700
		HDG.500.25.B.D	500×500×25	≥ 1000	≥ 4450	≥ 450	≥ 23000	≥ 13350
	配套支线槽 trunking		600×110×H					
	配套主宽线槽 wide trunking		600×260×H					





- 这是性价比最高的架空地板
- 达到 A 级防火，给你带来绝对安全的保障
- 表面铺设地毯后行走时具有极好的舒适度
- 最佳超低铺设高度为 50mm，全面解决综合布线问题，适用于未预留架空高度或改造的大楼
- 揭开盖板可任意布线，下线槽任何铺设，盖板与地插座互换，方便灵活
- 主宽线槽解决集中出线量大的问题
- 全钢网络地板系列产品在国际上 60 年代使用至今仍然是客户的首选，国内使用至今已长达 25 年之久
- “华集”线槽全钢网络地板（扣槽式）是办公区域的首选

The highest cost performance raised floor

A class fireproof

Wonderful comfort combine with carpet

The lowest installation height is 50mm and suit for old building decoration

Flexibility for cables and cover board could switch with sockets

To solve the problem of large amount of concentrated outlet

Steel concrete raised floor has been used more than 60 years in the world and over 25 years in China

HUAI OAK steel concrete raised floor is your best choice



OAK 专用线槽布线结构  
OAK trunking



OAK 线槽全钢网络地板  
扣槽式正面  
OAK panel (top)



OAK 线槽全钢网络地板  
扣槽式反面  
OAK panel (bottom)



边盖板  
side cover board



角盖板  
corner cover board

# “华集”牌 OAP 线槽全钢网络地板（平铺式）

## HUAJI OAP Steel Concrete Trunking Raised Floor ( Flat Type )

产品名称：OAP 线槽全钢网络地板（平铺式）


产品结构：地板、支架四角支撑式结构，可调支架高度为 35-150mm。

产品描述：采用优质冷轧钢板经全自动流水线设备冲压成型、拉伸成型、铆合、第一次除油、自动焊接、第二次除油、自动喷塑、填充发泡水泥、养护制作而成的高强度地板产品。

Product name: OAP Steel Concrete Trunking Raised Floor (Flat Type)

Product structure: the panel supported by pedestals, pedestal range 35-150mm

Description: the panel which is made from high quality steel sheets after a series of process and fill into concrete



OAP 线槽全钢网络地板  
平铺式正面

OAP panel (top)



OAP 线槽全钢网络地板  
平铺式反面

OAP panel (bottom)





边盖板  
side cover board



角盖板  
corner cover board

用途 Suit for	品名 Product Name	型号 Type 国标 International Standard	规格 (mm) Size	集中荷载 Conc.load (挠度 deflection=2mm)			均布荷载 Uniform Load (N/m <sup>2</sup> )	极限荷载 Ultimate Load (N)
				lb	N	kg		
办公区域 office area	OAP 线槽全钢 网络地板 (平铺式)	HDG.500.25.Q.D	500 × 500 × 25	≥ 680	≥ 2950	≥ 300	≥ 12500	≥ 8850
		HDG.500.25.Q.D	500 × 500 × 25	≥ 800	≥ 3550	≥ 360	≥ 17500	≥ 10700
		HDG.500.25.B.D	500 × 500 × 25	≥ 1000	≥ 4450	≥ 450	≥ 23000	≥ 13350
	配套支线槽 trunking		600 × 110 × H					
	配套主宽线槽 wide trunking		600 × 260 × H					





地板、地插座、专用线槽安装  
installation: panel, socket and trunking

- 这是性价比最高的架空地板
- 达到 A 级防火，给你带来绝对安全的保障
- 表面铺设地毯后行走时具有极好的舒适度
- 最佳超低铺设高度为 50mm，全面解决综合布线问题，适用于未预留架空高度或改造的大楼
- 揭开盖板可任意布线，下线槽任何铺设，盖板与地插座互换，方便灵活
- 全钢网络地板系列产品在国际上 60 年代使用至今仍然是客户的首选，国内使用至今已长达 25 年之久
- “华集”线槽全钢网络地板（平铺式）是办公区域的首选

- The highest cost performance raised floor
- A class fireproof
- Wonderful comfort combine with carpet
- The lowest installation height is 50mm and suit for old building decoration
- Flexibility for cables and cover board could switch with sockets
- Steel concrete raised floor has been used more than 60 years in the world and over 25 years in China.
- HUAJI OAP steel concrete raised floor is your best choice

# “华集”牌 CSC500 硫酸钙复合架空地板

## HUAJI CSC500 Calcium Sulphate Composite Raised Floor

产品名称：CSC500 硫酸钙复合架空地板

产品结构：地板、支架四角支撑式结构，可调支架高度为 60-150mm。

产品描述：采用石膏、水泥、纤维等特殊配方制作而成的地板产品。

Product name: CSC500 Calcium Sulphate Composite raised floor

Product structure: the panel supported by pedestals, pedestal range 60-150mm

Description: the panel which is made from gypsum, concrete and fiber



用途 Suit for	品名 Product Name	型号 Type 国标 International Standard	规格 (mm) Size	集中荷载 Conc.load (挠度 deflection=2mm)			均布荷载 Uniform Load (N/m <sup>2</sup> )	极限荷载 Ultimate Load (N)
				lb	N	kg		
办公区域 office area	硫酸钙复合地板	HDW.500.24.Q.D	500×500×24	≥ 680	≥ 2950	≥ 300	≥ 12500	≥ 8850
		HDW.500.24.B.D	500×500×24	≥ 1000	≥ 4450	≥ 450	≥ 23000	≥ 13350
		HDW.500.24.Z.D	500×500×24	≥ 1250	≥ 5560	≥ 560	≥ 33000	≥ 16680





●达到 A 级防火，给你带来绝对安全的保障

Class A fireproof

●隔音效果达到国家一级标准

First class soundproof

●具有良好的隔热性能

Excellent heatproof

●行走时具有极好的舒适度

extremely comfort when walking

●“华集” CSC500 硫酸钙复合架空地板是你最佳的选择

good choice for data center



# “华集”牌 HDG 全钢防静电架空地板

## HUAJI HDG Steel Anti-Static Floor

产品名称：HDG 全钢防静电架空地板

Product name: HUAJI HDG Anti-Static Floor

产品结构：地板、支架、横梁四边支撑式结构，可调支架高度为 100-1000mm。

Product structure: the panel supported by pedestals and stringers, pedestal range 100-1000mm

产品描述：采用优质冷轧钢板经全自动流水线设备冲压成型、拉伸成型、铆合、第一次除油、自动焊接、第二次除油、自动喷塑、填充发泡水泥、养护，表面采用粘贴 HPL 三聚氰胺贴面或永久性 PVC 防静电面层或玻化砖面等制作而成的全钢防静电地板产品。

Description: the panel which is made from high quality steel sheets after a series of process and fill it in concrete and cover by HPL finishing or PVC finishing




用途 Suit for	品名 Product Name	型号 Type 国标 International Standard	规格 (mm) Size	集中荷载 Conc.load (挠度 deflection=2mm)			均布荷载 Uniform Load (N/m <sup>2</sup> )	极限荷载 Ultimate Load (N)
				lb	N	kg		
机房区域 data centre	HDG 全钢防静电地板	HDG.600.35.Q.D	600×600×35	≥ 680	≥ 2950	≥ 300	≥ 12500	≥ 8850
		HDG.600.35.Q.D	600×600×35	≥ 800	≥ 3550	≥ 360	≥ 17500	≥ 10700
		HDG.600.35.B.D	600×600×35	≥ 1000	≥ 4450	≥ 450	≥ 23000	≥ 13350
		HDG.600.35.Z.D	600×600×35	≥ 1250	≥ 5560	≥ 560	≥ 33000	≥ 16680





- 这是性价比最高的架空地板
- 达到 A 级防火，给你带来绝对安全的保障
- 行走时具有极好的舒适度
- 全钢网络地板系列产品在国际上 60 年代使用至今仍然是客户的首选，国内使用至今已长达 25 年之久
- “华集” HDG 全钢防静电架空地板是机房区域的首选

The highest cost performance raised floor Class A fireproof  
 First class soundproof  
 extremely comfort when walking  
 Steel concrete raised floor has been used more than 60 years in the world and over 25 years in China  
 excellent choice for data center




通风地板  
 ventilated panel




有横梁地板及支架安装  
 installation: panel, pedestal and stringer



### PVC 贴面花色 PVC range




### HPL 贴面花色 HPL range



# “华集”牌 HDW 硫酸钙防静电架空地板

## HUAJI HDW Calcium Sulphate Anti-Static Floor



产品名称：HDW 硫酸钙防静电架空地板


产品结构：地板、支架、横梁四边支撑式结构

产品描述：芯材采用绿色环保的高强石膏粉和回收纸等原材料制作而成的高强度硫酸钙板基，硫酸钙板基四周采用环保阻燃导电 ABS 一体注塑成型边条，角落为直角，表面采用粘贴 HPL 三聚氰胺贴面或永久性 PVC 防静电面层制作而成的硫酸钙防静电地板产品。

Product name: HUAJI HDW Anti-Static Floor

Product structure: the panel supported by pedestals and stringers

Description: the core material is made from gypsum and recycled paper, the core material is made from gypsum and recycled paper, molding injection by ABS plastic as edge trim and at top cover by HPL finishing or PVC finishing.



有横梁地板及支架安装

Installation: panel, pedestal and stringer

用途 Suit for	品名 Product Name	型号 Type 国际 International Standard	规格 (mm) Size	集中荷载 Conc.load (挠度 deflection=2mm)			均布荷载 Uniform Load (N/m <sup>2</sup> )	极限荷载 Ultimate Load (N)
				lb	N	kg		
机房 区域 data centre	HDW 硫酸钙防静 电架空地板	HDW.600.30.Q.D	600 × 600 × 30	≥ 680	≥ 2950	≥ 300	≥ 12500	≥ 8850
		HDW.600.30.Q.D	600 × 600 × 30	≥ 800	≥ 3550	≥ 360	≥ 17500	≥ 10700
		HDW.600.30.B.D	600 × 600 × 30	≥ 1000	≥ 4450	≥ 450	≥ 23000	≥ 13350
		HDW.600.30.Z.D	600 × 600 × 30	≥ 1250	≥ 5560	≥ 560	≥ 33000	≥ 16680
		HDW.600.32.B.D	600 × 600 × 32	≥ 1000	≥ 4450	≥ 450	≥ 23000	≥ 13350
		HDW.600.32.Z.D	600 × 600 × 32	≥ 1250	≥ 5560	≥ 560	≥ 33000	≥ 16680
		HDW.600.35.B.D	600 × 600 × 35	≥ 1000	≥ 4450	≥ 450	≥ 23000	≥ 13350
		HDW.600.35.Z.D	600 × 600 × 35	≥ 1250	≥ 5560	≥ 560	≥ 33000	≥ 16680



●达到 A 级防火，给你带来绝对安全的保障

Class A fireproof

●隔音效果达到国家一级标准

First class soundproof

●具有良好的隔热性能

excellent heatproof

●行走时具有极好的舒适度

extremely comfort when walking

●“华集”硫酸钙防静电架空地板是机房区域的首选

excellent choice for data center



支架：可调支架高度为 100-500mm  
pedestal range 100-500mm

E 字形 ABS 一体注塑成型，专利技术永不脱落  
E type ABS plastic modeling injection



切割剖面  
profile

### PVC 贴面花色 PVC range



HJ-9301



HJ-9302



HJ-9303



HJ-9305



HJ-9306



HJ-9601



HJ-0501



HJ-0503



HJ-0506



HJ-0509



HJ-0510



HJ-0511

### HPL 贴面花色 HPL range



HJ-001HPL



HJ-002HPL



HJ-003HPL



HJ-004HPL

# “华集”牌 HDF 欧式木基防静电架空地板

## HUAJI HDF Euro Style Wood Anti-Static Floor

产品名称：HDF 木基防静电架空地板


Product name: HUAJI HDF Anti-Static Floor

产品结构：地板、支架、横梁四边支撑式结构

Product structure: the panel supported by pedestals and stringers

产品描述：芯材采用刨花板板基，四周粘贴 PVC 边条，角落为直角，表面采用粘贴 HPL 三聚氰胺贴面或永久性 PVC 防静电面层制作而成的木基防静电地板产品。


Description: the panel is made from chipboard stick with PVC stripes around and at top cover by HPL or PVC



用途 Suit for	品名 Product Name	型号 Type 国际 International Standard	规格 (mm) Size	集中荷载 Conc.load (挠度 deflection=2mm)			均布荷载 Uniform Load (N/m <sup>2</sup> )	极限荷载 Ultimate Load (N)
				lb	N	kg		
机房 区域 data centre	HDF 硫酸钙防静电 架空地板	HDF.600.35.Q.D	600×600×35	≥ 680	≥ 2950	≥ 300	≥ 12500	≥ 8850
		HDF.600.35.Q.D	600×600×35	≥ 800	≥ 3550	≥ 360	≥ 17500	≥ 10700
		HDF.600.38.Q.D	600×600×38	≥ 680	≥ 2950	≥ 300	≥ 12500	≥ 8850
		HDF.600.38.Q.D	600×600×38	≥ 800	≥ 3550	≥ 360	≥ 17500	≥ 10700
		HDF.600.38.B.D	600×600×38	≥ 1000	≥ 4450	≥ 450	≥ 23000	≥ 13350
		HDF.600.38.Z.D	600×600×38	≥ 1250	≥ 5560	≥ 560	≥ 33000	≥ 16680



- |                         |                                  |
|-------------------------|----------------------------------|
| ●达到 B2 级防火标准            | Class B2 fireproof               |
| ●环保性能达到 E1 级标准          | Class E1 Environmental friendly  |
| ●隔音效果达到国家一级标准           | First class soundproof           |
| ●具有良好的隔热性能              | excellent heatproof              |
| ●行走时具有极好的舒适度            | extremely comfort when walking   |
| ●“华集” 木基防静电架空地板是机房区域的首选 | excellent choice for data center |




有横梁地板及支架安装  
Installation: panel, pedestal and stringer




支架: 可调支架高度为 100-500mm  
pedestal range 100-500mm

### PVC 贴面花色 PVC range



### HPL 贴面花色 HPL range



# “华集”牌 HDL 铝合金防静电架空地板

## HUAJI HDL Aluminum Anti-Static Floor

产品名称：HDL 铝合金防静电架空地板


产品结构：地板、支架、横梁四边支撑式结构，可调支架高度为 100-1000mm。

产品描述：采用铝合金高温压铸，经过精加工处理，表面采用粘贴永久性 PVC 防静电面层制作而成的铝合金防静电地板产品。

Product name: HUAJI HDL Anti-static Floor

Product structure: the panel supported by pedestals and stringers, pedestal range 100-1000mm

Description: the panel is made from aluminum alloy die casting and cover by PVC



铝合金地板正面

HDL panel (top)

- |                               |                                      |
|-------------------------------|--------------------------------------|
| ● 价格最昂贵的架空地板                  | Highest value among the raised floor |
| ● 达到 A 级防火，给你带来绝对安全的保障        | Grade A fireproof                    |
| ● 行走时具有极好的舒适度                 | Excellent walking comfort            |
| ● “华集” HDL 铝合金防静电架空地板是洁净厂房的首选 | Best choice for clean rooms          |








铝合金通风地板正面  
HDL ventilated panel (top)

## PVC 贴面花色 PVC range



用途 Suit for	品名 Product Name	型号 Type 国标 International Standard	规格 (mm) Size	集中荷载 Conc.load (挠度 deflection=2mm)			均布荷载 Uniform Load (N/m <sup>2</sup> )	极限荷载 Ultimate Load (N)
				lb	N	kg		
洁净 厂房 区域 clean room	HDL 铝合金防 静电地板	HDL.600.50.500	600 × 600 × 50	≥ 1150	≥ 4900	≥ 500	≥ 28900	≥ 14700
		HDL.600.55.700	600 × 600 × 55	≥ 1550	≥ 6860	≥ 700	≥ 40500	≥ 20580
		HDL.600.55.1000	600 × 600 × 55	≥ 2250	≥ 9800	≥ 1000	≥ 57800	≥ 29400
		HDL.600.65.1500	600 × 600 × 65	≥ 3350	≥ 14700	≥ 1500	≥ 86700	≥ 44100
		HDL.600.65.2000	600 × 600 × 65	≥ 4450	≥ 19600	≥ 2000	≥ 115600	≥ 58800